RAVEL 400 HE | (Salvador Suite)



HE

Ravel HE Log shown with Black Nickel / Chrome trim, installed into the Salvador White Suite

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- Propane

RAVEL TRIM OPTIONS

- Bl.Nickel/ Chrome
- Anthracite

SLIDE LEVER OPTIONS

- Chrome
- Black Nickel
- Black
- Ezi-Grip

MANTEL FINISH

- White

GAS CONSUMPTION NATURAL

83% EFFICIENCY

4.8kW	3.0kW	3.6kW	2.1kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


GAS CONSUMPTION LPG

83% EFFICIENCY

4.3kW	2.5kW	3.2kW	1.8kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


See page 77 for energy efficiency class

DIMENSIONS



A) 512mm
B) 403mm
C) 610mm
D) 555mm
E) 197mm
F) 186mm
G) 502mm

MANTEL DIMENSIONS



A) 1370mm
B) 1370mm
C) 1160mm
D) 400mm
E) 230mm
F) 512mm
G) 610mm

The Ravel 400 HE Log 16”x 22” is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version.
Also available as 4 sided HIW. See page 44.

RAVEL 400 HE | Balanced Flue



Ravel 400 BF shown with Black Nickel / Chrome trim. Featuring Salvador micromarble fireplace in white (see page 39 for details)

FLUE OPTIONS

Balanced Flue

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

RAVEL TRIM OPTIONS

Bl.Nickel/ Chrome

Anthracite

Inset Stove (see page 40)

HIW (see page 42)

SLIDE LEVER OPTIONS

Chrome

Black Nickel

Black

Ezi-Grip

GAS CONSUMPTION

3.9kW Heat Input (High)

2.4kW Heat Input (Low)

3.0kW Heat Output (High)

1.7kW Heat Output (Low)

83% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS


White


See page 77 for energy efficiency class

The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 44, or as an inset stove—see page 42. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.

DIMENSIONS





A) 510mm
B) 394mm
C) 611mm
D) 553mm
E) 197mm
F) 290-580mm
F*) 290-780mm
G) Ø152mm
H) 400mm
I) 206mm
J) 463.5mm

Note: F dimensions apply to optional longer flue kit (F-181XX2TKS)

RAVEL 400 Inset Stove | (Salvador Suite)



HE

Ravel HE Inset Stove shown installed into the Salvador Suite (white).

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated
- Nat gas only Balanced Flue

See page 45 for appliance dims

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas
- LPG Propane

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

SLIDE LEVER OPTIONS



Chrome



Black Nickel




Black



Ezi-Grip

GAS CONSUMPTION NATURAL


83% EFFICIENCY



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

GAS CONSUMPTION LPG


83% EFFICIENCY




Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

See page 77 for energy efficiency class

DIMENSIONS





A) 560mm
B) 630mm
C) 584mm
D) 557mm
E) 186mm
F) 97mm
G) 65mm
H) 198mm
I) 70mm
J) 502mm

*Note: For mantel details see page 39.

The Ravel 400 can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

RAVEL 550 HE | (Emelia Suite) Micro marble



HE

Ravel 550 HE shown with Contemporary Black Nickel/ Black trim, installed into the Emelia suite in white.

This fire requires a fireplace suite with a 3" rebate and a back panel opening of a specific size. Talk to your retailer for full details.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas

RAVEL 550 HE TRIM OPTIONS



Brass/ Black | Satin/ Black | Chrome/ Black | Bl.Nickel/ Black | Anthracite

SLIDE LEVER OPTIONS



Brass | Chrome | Black Nickel | Black

GAS CONSUMPTION



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

85% EFFICIENCY

STANDARD MANTEL FINISH OPTIONS




White | *Grey

WATCH VIDEO

Scan QR Code

See page 77 for energy efficiency class

DIMENSIONS




A)	614mm	Trim Width
B)	611mm	Trim Height
C)	560mm-580mm	Back Panel Opening Width
D)	585mm-600mm	Back Panel Opening Height
E)	76mm	Mantel Rebate
F)	406mm	Fire Width at Builders Opening
G)	565mm	Fire Height at Builders Opening
H)	117mm	Fire Depth into Builders Opening

The Ravel 550 log fire is a revolutionary product.

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney builders opening. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned of independently to keep the flame picture alive when running on low.

This installation requires a back panel with specific opening sizes and a 75mm rebate. Normally an appliance of this stature would require building work and installation of a lintel. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

MANTEL DIMENSIONS



A)	1320mm
B)	1115mm
C)	1320mm
D)	560-580mm
E)	585-600mm
F)	200mm
G)	400mm
H)	75mm
I)	60mm

RAVEL 550 HE Inset Stove | (Emelia Suite)



HE Ravel 550 HE shown installed into the Emelia suite in white.

FLUE OPTIONS

- Brick Chimney
- Pre-Fabricated

CONTROL

- Slide

FUEL BED

- Log

FUEL

- Natural Gas

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

SLIDE LEVER OPTIONS



Chrome



Black

WATCH VIDEO

Scan QR Code

GAS CONSUMPTION



Heat Input (High) | Heat Input (Low) | Heat Output (High) | Heat Output (Low)

85% EFFICIENCY


STANDARD MANTEL FINISH OPTIONS



White | *Grey


See page 77 for energy efficiency class

DIMENSIONS



A) 660mm
B) 635mm
C) 144mm
D) 689mm
E) 120mm
F) 403mm
G) 559mm
H) 152mm

MANTEL DIMENSIONS



A) 1320mm
B) 1115mm
C) 1320mm
D) 405mm
E) 570mm
F) 200mm
G) 400mm
H) 75mm
I) 60mm

The Ravel 550 log fire is a revolutionary product.

The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low.

This 22" appliance installs into any standard 16" x 22" back panel and is shrouded with an aluminium high definition stove trim, so it's a perfect upgrade from your old 16" fire without changing the fireplace. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

RAVEL 750 | (Asti 750 Suite) Limestone



Ravel 750 Edge trim, installed into the Asti 750 Limestone Suite. Inset: Ravel 750 shown with standard (wide) trim.

HE

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

WATCH VIDEO

Scan QR Code

NATURAL GAS

7.7kW Heat Input (High)	5.4kW Heat Input (Low)
5.7kW Heat Output (High)	3.8kW Heat Output (Low)

82.4% EFFICIENCY

LPG

7.5kW Heat Input (High)	4.8kW Heat Input (Low)
5.8kW Heat Output (High)	3.4kW Heat Output (Low)

83.5% EFFICIENCY

See page 77 for energy efficiency class


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.


Dimensions

EDGE




A) 748mm
B) 711mm
C) 18-32mm
D) 280mm
E) 736mm
F) 747mm


STANDARD



A) 807mm
B) 770mm
C) 10mm
D) 280mm
E) 736mm
F) 747mm

MANTEL DIMENSIONS





A) 1300mm
B) 1120mm
C) 1280mm
D) 60mm
E) 820mm
F) 840mm
J) 160mm
K) 45mm
L) 100mm
M) 380mm

EDGE TRIM

G) 702mm
H) 740mm
I) 70mm

STANDARD TRIM

G) 741mm
H) 756mm
I) 40mm

Note: No ventilation required

RAVEL 400C Gas Stove



HE

Ravel Gas Stove shown inset with black handle and control lever. Available as optional extras.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

WATCH VIDEO

Scan QR Code

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard. Black handle is an optional extra.

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast*

GAS CONSUMPTION - NATURAL



Heat Input (High)



Heat Input (Low)



Heat Output (High)



Heat Output (Low)

82% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG



Heat Input (High)



Heat Input (Low)




Heat Output (High)




Heat Output (Low)

84% EFFICIENCY

DIMENSIONS



A) 464mm
B) 584mm
C) 127mm
D) 502mm
E) 100mm
F) 289mm
G) 315mm
H) 67mm
I) 515mm



*Precast flue/Rear vent kit is ordered separately.

Note: The Ravel 400C is now also available in Balanced Flue. See pages 52-53

The Ravel Stove is a stunning addition to any open fireplace. Based on the proven under-log burner system of the highly successful Ravel gas fire.

This gas stove version features crisp and clean lines only possible with the light weight aluminium extrusion employed in this design. Suitable for use with Class 1, Class 2 and precast flues.* The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame effect.

Also in available in electric. See electric fires section at the rear of the brochure.

RAVEL 400 BF Gas Stoves



Inset shows Ravel 400C BF

HE

Images shown with optional false vertical flue kit installed.

CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Balanced Flue

STOVE HANDLE OPTIONS



Satin



Black

Note: Satin handle is supplied as standard on 400C models. Black handle is an optional extra.

GAS CONSUMPTION

83% EFFICIENCY

4.0kW	2.7kW	3.0kW	1.9kW
Heat Input (High)	Heat Input (Low)	Heat Output (High)	Heat Output (Low)


See page 77 for energy efficiency class


The hugely successful Ravel 400 gas stoves will now be available as Balanced Flue versions. Both the 400C and 400T models can now be installed into a property with no chimney.

The products feature all the benefits of the Ravel gas fire range, with under-log burners and a turndown function which keeps the flame picture alive on low setting. A false vertical flue kit is also available as an option to create the authentic look of a chimney installation. The Asti 750 Chamber Suite is also available to order as a complete package – see page 51 for full details.

Dimensions


400T BF






A) 464mm	D) 100mm	G) Ø151.5mm
B) 580mm	E) 290-580mm	H) 483.5mm
C) 502mm	F) 289mm	I) 320mm

400C BF





A) 464mm	D) 100mm	G) Ø151.5mm
B) 580mm	E) 290-580mm	H) 483.5mm
C) 502mm	F) 289mm	I) 320mm

Note: A vertical false flue kit is also available as an optional extra.

RAVEL 400T Gas Stove | Asti 750 Chamber Suite



CONTROL

Slide

FUEL BED

Log

FUEL

Natural Gas

LPG Propane

WATCH VIDEO

Scan QR Code

FLUE OPTIONS

Brick Chimney

Pre-Fabricated

Pre-Cast*

GAS CONSUMPTION - NATURAL

4.25kW	2.6kW
Heat Input (High)	Heat Input (Low)
3.1kW	1.8kW
Heat Output (High)	Heat Output (Low)

82% EFFICIENCY

See page 77 for energy efficiency class

GAS CONSUMPTION - LPG

4.5kW	2.6kW
Heat Input (High)	Heat Input (Low)
3.4kW	1.9kW
Heat Output (High)	Heat Output (Low)


84% EFFICIENCY

The Ravel 400T gas stove is a beautiful timeless addition to any room. The product features all the benefits of the proven Ravel burner system.

The stove is easy to control with a simple slide lever located below the glass screen. It features a light weight aluminium casting which provides crisp and clean lines, aesthetics are at the heart of this product. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low. And, just like the Ravel 400C, it can be installed into Class 1, Class 2 and precast flues*. The Ravel 400T is also available as a balanced flue model (see pages 52-53).

Also in available in electric. See electric fires section at the rear of the brochure.


DIMENSIONS



A) 464mm
B) 580mm
C) 133mm
D) 502mm
E) 100mm
F) 289mm
G) 320mm
H) 66.5mm
I) 515mm

*Precast flue kit is ordered separately.

CHAMBER DIMENSIONS



A) 1020mm
B) 450mm
C) 1000mm
D) 25mm

The Asti Chamber Suite can be ordered as a package with either the 400C or 400T gas stoves.

The mantel dimensions can be found on page 15. The package includes mantel, hearth, chamber and back hearth.